



Elegant and pure:  
HOPPE mini roses

For all HOPPE door and window handles ...



## Purism in the details: HOPPE mini roses

**Quick-Fit**

Mini roses show door handles in a completely new light. They are hardly noticeable on the door. As a result, the handle itself becomes more prominent, creating a fascinating interplay between the handle and the door.

Interior door sets with mini roses are currently available in stainless steel and brass. A standard door set consists of a pair of door handles and the matching handle roses. Escutcheons, which are also available in a special version for bathroom doors, can be added if required.

All sets are fitted with the patented **HOPPE Quick-Fit connection**, which enables the door handles to be assembled quickly and easily without any tools and ensures a firm fit. The key point of the proven technology is the blocking mechanism, developed by HOPPE, in the door handle receiver component. It holds the solid spindle of the other handle firmly and without play. Simply attach the mini roses and plug in the door handles – all done!

Naturally, HOPPE's interior door sets with mini roses also come with a 10-year operational guarantee.

Choose the right handle shape for you from our modern range and enjoy the pure design of door and handle.









Quick-Fit


## Amsterdam - 1400/845

duraplus®

HOPPE aluminium handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting

Description				F9016M	F9714M			P.U.	O.C.
				Art. no.	Art. no.				
Door handle set without escutcheon	35-45	8		<b>11695766</b>	11659130			1	10



Quick-Fit

## Amsterdam - E1400Z/845


duraplus®

HOPPE stainless steel handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description				F78-1-R	F84-1-R	F69		P.U.	O.C.
				Art. no.	Art. no.	Art. no.			
Door handle set without escutcheon	36-54	8				10781648		1	10
				<b>11658757</b>	11658794		1	10	



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®







Quick-Fit


## Dallas - 1643/845

duraplus®

HOPPE aluminium handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting

Description			F9016M	F9714M			P.U.	O.C.
			Art. no.	Art. no.				
Door handle set without escutcheon	35-55	8	<b>11633591</b>	11621849			1	10



Quick-Fit



## Dallas - E1643Z/845


duraplus®

HOPPE stainless steel handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description			F69				P.U.	O.C.
			Art. no.					
Door handle set without escutcheon	36-54	8	<b>10781656</b>				1	10







Quick-Fit<sup>1</sup>







**Dallas - M1643/845**


duraplus<sup>®</sup>

HOPPE brass handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description							P.U.	O.C.
			F78-R	F78-1-R	F84-R	F84-1-R		
			Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	35-55	8/8,5	11717154	11717185	<b>11717215</b>	11717221	1	10
Description							P.U.	O.C.
			F96-R	F96-1-R	F97-R	F97-1-R		
			Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	35-55	8/8,5	11717191	11717208	11717130	11717142	1	10
Description							P.U.	O.C.
			F49-R					
			Art. no.					
Door handle set without escutcheon	30-44	8	11651994				1	10
	40-54	8					1	10



The Resista<sup>®</sup> guarantee applies to all finishes with the letter **R** in the finish key.

**Resista<sup>®</sup>**







**Quick-Fit**



## ■ Houston - M1623/845


duraplus®

HOPPE brass handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description				F41-R	F78-1-R	F96-1-R	F97-1-R	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	40-54	8		<b>10782667</b>	11948590	11948607	11948619	1	10



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

**Resista®**





Quick-Fit







## Los Angeles - M1642/845


duraplus®

HOPPE brass handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description				F78-R	F78-1-R	F84-R	F84-1-R	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Door handle set without escutcheon	35-55	8/8,5		11722411	11722423	11722502	11722526	1	10
Description				F96-R	F96-1-R	F97-R	F97-1-R	P.U.	O.C.
Door handle set without escutcheon	35-55	8/8,5		11722435	11722447	11722368	<b>11722405</b>		
Description				F41-R	F49-R	F9714M		P.U.	O.C.
Door handle set without escutcheon	40-54	8		10782675	10782747	11903016			



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

Resista®







Quick-Fit


## Stockholm - 1140/845

duraplus®

HOPPE aluminium handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting

Description				F9016M	F9714M			P.U.	O.C.
				Art. no.	Art. no.				
Door handle set without escutcheon	35-55	8		11634054	<b>11650005</b>			1	10



Quick-Fit



## Stockholm - E1140Z/845


duraplus®

HOPPE stainless steel handle set on mini rose without escutcheons for interior doors:

- Bearing: loose door handles, maintenance-free slide bearing
- Connection: **HOPPE Quick-Fit connection** with HOPPE solid spindle (receiver - receiver components)
- Fixing: plug-in mini roses
- Special feature: non-screw fitting



Description				F69				P.U.	O.C.
				Art. no.					
Door handle set without escutcheon	36-54	8		<b>10781630</b>				1	10







## M845


duraplus®

HOPPE brass mini handle rose pair for interior doors:

- Bearing: for loose door handles, maintenance-free slide bearing
- Fixing: plug-in, additionally with silicone or adhesive
- Special feature: non-screw fitting



Description			F78-R	F78-1-R	F84-R	F84-1-R	P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Handle rose, pair			11797685	11797733	11797654	11797691	10	50
Description			F96-R	F96-1-R	F97-R	F97-1-R	P.U.	O.C.
			Art. no.	Art. no.	Art. no.	Art. no.		
Handle rose, pair			11797678	11797715	11797666	<b>11797708</b>	10	50
Description			F9016	F9714M			P.U.	O.C.
			Art. no.	Art. no.				
Handle rose, pair			11976317	11660429			10	50



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

**Resista®**




## 845S

duraplus®

HOPPE aluminium mini escutcheon pair for interior doors:

- Fixing: plug-in, additionally with silicone or adhesive
- Special feature: non-screw fitting

Description			Keyhole	F9016M	F9714M			P.U.	O.C.
				Art. no.	Art. no.				
Escutcheon, pair				<b>11766487</b>	11766499			5	25




## 845S

duraplus®

HOPPE aluminium mini escutcheon pair with emergency release/turn for bathroom/WC doors:

- Connection: HOPPE solid spindle
- Fixing: with grub screw, additionally with silicone or adhesive

Description			Keyhole	F9016M	F9714M			P.U.	O.C.
				Art. no.	Art. no.				
Bathroom/WC escutcheon, pair	43-48	5-8		11766517	<b>11766529</b>			5	25
	55-80			11906479	11906480			5	25








## E845S


duraplus®

HOPPE stainless steel mini escutcheon pair for interior doors:

- Fixing: plug-in, additionally with silicone or adhesive
- Special feature: non-screw fitting



Description			Keyhole	F69				P.U.	O.C.
				Art. no.					
Escutcheon, pair				<b>11566845</b>				5	25












## M845S


duraplus®

HOPPE brass mini escutcheon pair for interior doors:

- Fixing: plug-in, additionally with silicone or adhesive
- Special feature: non-screw fitting



Description			Keyhole	F78-R	F78-1-R	F84-R	F84-1-R	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Escutcheon, pair				<b>11717403</b>	11717415	11717464	11717525	5	25
Description			Keyhole	F96-R	F96-1-R	F97-R	F97-1-R	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Escutcheon, pair				11717427	11717439	11717385	11717397	5	25
Description			Keyhole	F41-R	F49-R	F9016M	F9714M	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Escutcheon, pair				11556080	11556134	11766487	11625028	5	25



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.

**Resista®**




















**M845S**


duraplus®

HOPPE brass mini escutcheon pair with emergency release/turn for bathroom/WC doors:

- Connection: HOPPE solid spindle
- Fixing: with grub screw, additionally with silicone or adhesive



Description			Keyhole	F78-R	F78-1-R	F84-R	F84-1-R	P.U.	O.C.
				Art. no.	Art. no.	Art. no.	Art. no.		
Bathroom/WC escutcheon, pair	38-43	5-8		11717671	<b>11717683</b>	11717713	11717725	5	25
Description			Keyhole	F96-R	F96-1-R	F97-R	F97-1-R	P.U.	O.C.
Bathroom/WC escutcheon, pair	38-43	5-8		11717695	11717701	11717658	11717665		
Description			Keyhole	F41-R	F42-R	F49-R	F9016M	P.U.	O.C.
Bathroom/WC escutcheon, pair	33-38	5-8		3765480	3765447	3765501			
	38-43	5-8			3765463		11633190	5	25
Description			Keyhole	F9714M				P.U.	O.C.
Bathroom/WC escutcheon, pair	33-38	5-8		10803835					
	38-43	5-8		11605224				5	25
	43-48	5-8		11621278				5	25
	48-53	5-8		11621285				5	25
	55-80	5-8		11838383				5	25



The Resista® guarantee applies to all finishes with the letter **R** in the finish key.


**Resista®**

# Door preparation and assembly, Explanation of attributes


## Door preparation

Accurate door preparation is required since the size of the roses has been reduced to a minimum.


The hole for the handle must be 22 mm in diameter. A special drill or CNC machine is recommended for optimum results.



- Door preparation for HOPPE handle sets on mini-rose without escutcheons



- Door preparation for HOPPE handle sets on mini-rose with escutcheons










- Door preparation for HOPPE handle sets on mini-rose with emergency release and turn for bathroom/WC doors

## Assembly







The handle roses are fastened to the door by putting the door handles together thanks to the **HOPPE Quick-Fit connection**.

The M846S escutcheons just need to be plugged together. To attach the MSK91/845S/OL45 bathroom/WC roses, plug the emergency release and turn together and fasten using a grub screw. In both cases, silicone helps to keep the escutcheons fixed to the door.

## Explanation of attributes

Denomination	Description	Attribute
<b>Brand attributes</b>	<ul style="list-style-type: none"> <li>• distinguish all HOPPE products</li> <li>• convey the brand promise:               <ul style="list-style-type: none"> <li>- 10-year guarantee on the mechanical operation</li> <li>- Made in Europe</li> <li>- DIN EN ISO 14001 Environmentally-considerate manufacturing</li> </ul> </li> </ul>	  
<b>Special attributes</b>	<ul style="list-style-type: none"> <li>• underline a unique selling proposition or an essential additional benefit of the HOPPE brand product</li> </ul>	 
<b>Product attributes</b>	<ul style="list-style-type: none"> <li>• present important information on a product or a benefit of the product</li> <li>• are identified with the pictograms designed by HOPPE</li> </ul>	 <span>Stainless steel</span>  <span>Solid brass</span>

## Explanation of symbols

	OB (oval standard keyhole)
	SK/OL (external: slotted head / internal: turn button)
	Door thickness (in mm)
	Spindle size (in mm)
<b>duraplus®</b>	HOPPE divides its product range into three lines based on the customers' different requirements in price and perception of value – duravert®, duraplus® and duranorm®. duraplus® is the medium range.
	With the <b>HOPPE Quick-Fit connection</b> , door handles can be installed in one simple step – and to last! Just fit together – and it's done!
	10-year guarantee on the surfaces of all HOPPE hardware with Resista®

## HOPPE finish chart

### Aluminium



**F9016M**  
Traffic white matt



**F9714M**  
Black matt



**F69**  
Satin

### Stainless steel

### Brass



**F41-R**  
Brushed chrome – **Resista®**



**F49-R**  
Polished chrome – **Resista®**



**F78-R**  
Natural-brass-coloured  
polished – **Resista®**



**F78-1-R**  
natural-brass-coloured  
satin – **Resista®**



**F84-R**  
copper-coloured  
polished – **Resista®**



**F84-1-R**  
copper-coloured  
satin – **Resista®**



**F96-R**  
polished black – **Resista®**



**F96-1-R**  
satin black – **Resista®**



**F97-R**  
polished anthracite –  
**Resista®**



**F97-1-R**  
satin anthracite –  
**Resista®**



**F9016M**  
Traffic white matt



**F9714M**  
Black matt

## ARRONE®

The **complete** range.

### ARRONE – developing and enhancing the product range

Under the ARRONE brand name, HOPPE Group offers a comprehensive range of architectural quality door and window hardware along with accessories. Many products are manufactured exclusively by leading hardware manufacturers throughout the world. Within this extensive range are door closing devices, panic and emergency exit devices, hinges, rim and mortice locks, door and pull handles, access control, signage and accessories. ARRONE products are designed and manufactured to complement the HOPPE range of aluminium, brass, stainless steel and nylon door and window hardware.

#### Magnetic locks

Magnetic locks are used where a protruding latch and a visible strike plate would be obtrusive. They ensure low-noise and smooth use of interior door handle sets. Above all, they impress with their flush design. When the door is open, the latch remains completely concealed in the lock case. When the door is closed, the latch springs into the strike plate of the door frame. By pushing down the handle, the latch is retracted from the striking plate and the door can be opened.

ARRONE magnetic locks perfectly complement HOPPE handles – especially those with minimalistic mini roses. A range of contemporary colours matches the handles sets, including matt black, matt white and copper finishes.






## AR3313

ARRONE magnetic bathroom lock:

- Function: Deadbolt operation
- Backset: 50 mm
- Centre's: 96 mm
- Deadbolt: Plastic coated magnetic
- Forend/strike material: Steel
- Forend type: Single
- Forend shape: Radius
- Certification/Testing: Not applicable
- Finishes: Brushed Nickel, White or Black

Product ref.	Article description	Finish	Article no.
<b>AR3313-50/96-MNP</b>	Magnetic mortise bathroom lock	MNP	<b>50015576</b>
<b>AR3313-50/96-MNP</b>	Magnetic mortise bathroom lock	WHT	50015588
<b>AR3313-50/96-MNP</b>	Magnetic mortise bathroom lock	BLK	50015595
<b>AR3313-50/96-MNP</b>	Magnetic mortise bathroom lock	COP	50016915
<b>AR3313-50/96-MNP</b>	Magnetic mortise bathroom lock	PVD/SBR	50016921
<b>AR3313-50/96-MNP</b>	Magnetic mortise bathroom lock	TTM	50016933



Application: with the door in the closed position the lock bolt is drawn into the strike plate removing the need for a primary latch bolt

## ARRONE finish chart



**MNP**  
Matt nickel plated



**WHT**  
White



**BLK**  
Black



**COP**  
Copper



**PVD/SBR**  
PVD-Satine brass



**TTM**  
Titanium

HOPPE Nordic Countries Oy  
Hyryläänkatu 8  
FI-04300 Tuusula

Tel. +358 9 25 84 34 24  
info.nordic@hoppe.com  
www.hoppe.com

---

## Trading partners in the Nordic Countries:

Trading partner Sweden:

BESLAGSKONSULT AB  
Neogatan 11  
SE-431 53 Mölndal

Tel. +46 (0)31 91 40 30  
info@beslagskonsult.se  
www.beslagskonsult.se

Trading partner Finland:

Scancerco OY  
Mestarintie 13  
FI-01730 Vantaa

Tel. +358 40 1625 227  
myynti@scancerco.fi  
www.scancerco.fi

Trading partner Denmark:

KH TRADE A/S  
Theilgaard's Allé 3A, "Den Hvide By"  
DK-4600 Køge

Tel. +45 70 23 40 30  
info@kh-trade.dk  
www.kh-trade.dk

Trading partner Norway:

BOYESEN & MUNTHE A/S  
Haavard Martinsens Vei 19A  
NO-0978 Oslo

Tel. +47 23 34 70 00  
post@boyesen-munthe.no  
www.boyesen-munthe.no